PORTLAND

LIGHTING

PRESENTS

HOSPITALITY BARRIER LIGHT



CAFÉ BARRIERS & OUTDOOR SEATING AREAS

The superb new Hospitality Barrier Light is the lighting system for all outdoor seating areas, making your café, pub, bar or restaurant 'pop' and stand out in the crowded high street, offering a warm and welcoming illumination.

The stylish and contemporary light fittings are quickly & easily installed to your pavement barriers, illuminating the advertising signage whilst reaching out and alluring passing customers in an instant.









CONTACT DETAILS

Email: sales@portlandlighting.co.uk www.portlandlighting.co.uk Portland Lighting Ltd, Unit 2, Reedswood Park Road, Walsall, WS2 8DQ

ACCREDITATIONS & CERTIFICATIONS











HOSPITALITY BARRIER LIGHT

How the Hospitality Barrier Light works

The scheme here shows 9 x 1500mm barriers with a 1000mm gangway entrance. We can advise you on the right combination of equipment to suit your venue perfectly. Speak to a member of our team today to discuss your requirements.

Perfect for:


- > Cafés
- > Pubs
- > Bars
- > Restaurants
- > Beer Gardens
- > Outdoor Seating Areas



waterproof dust cap



Gangway entrance





Link cable available in various lengths (See table on following page)



Cable tidy slot on rear of bracket



4mm carabina clip cable management



- > Other specified cable lengths available
- > Optional photocell switching
- > Clockwise or anti–cockwise electrical feed direction from wall box (graphic illustrates clockwise electrical feed)



Product Specifications

Technical Specification

- > 24V 10W LED light fittings, available in 3000k warm white or 6000k cool white, with a 50,000 hour lamp life.
- > Light fittings link together with IP68 male/female connectors to run around your pavement barriers, offering extra promotional lighting and an unrivalled glow.
- Discreetly fitted IP66 lockable wall box with 24V 200W driver, that comfortably links 15 barrier lights together clockwise or anti-clockwise, with the ability to increase this amount where specified.
- > Optional 70 lux photocell can be fitted to the wall box for automatic switching.
- Cleverly designed universal fixing brackets with cable management for fitting to all types of barriers, including round, square or rectangular box section cross rails.
- Die cast aluminium brackets feature a cable tidy, and are vandal resistant with security fixings.
- Easy installation with floor cable protectors, ensuring entrance ways are kept clear and safe.


- Robust, quality design manufactured in the UK from aluminium extrusion.
- Unique polycarbonate glazing incorporates a specially designed 90° magnifying lens, for optimum even illumination to your signage.
- Smartly finished polyester powder coat RAL 9006 silver as standard, but can be colour-coded to your desired RAL to complement your branding.
- Various link cables and gangway link cables available with 4mm carabina clip cable management, allowing for simple installation. See table below for further details.

		Barrier Size	Link Cable	*Gangway Link Cable
	Α	1200	700	3700
	В	1500	1000	4000
	С	2000	1500	4500


*Gangway link cable lengths shown above are based off a 1000mm wide opening. Please add/subtract measurement for wider or narrower gangway entrances.
**Feed link cable from wall box 1500mm unless specified by the client.

Comes with a 5 year parts warranty.


Front View




Clamps




Clamp flipped for flat section



Clamp flipped for circular section









Gangway Link Cable Protector

Link Cables





Wall Mounted Supply Box

